N

	Application No.	Applicant(s)
	Application No.	
Nation of Allowahility	10/763,843	GRIFFITH, GLEN A.
Notice of Allowability	Examiner	Art Unit
	Brian T. Gedeon	3766
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 2 December 2006</u> .		
2. The allowed claim(s) is/are <u>1-3 and 10-25</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		,
Attachment/e)		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
	Paper No./Mail Dai 7. ⊠ Examiner's Amendr	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	——————————————————————————————————————	ent of Reasons for Allowance
	9.	

Application/Control Number: 10/763,843

Art Unit: 3766

## **DETAILED ACTION**

Page 2

## Allowable Subject Matter

1. Claims 1-3 and 10-25 are allowed.

## **EXAMINER'S AMENDMENT**

- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 3. Authorization for this examiner's amendment was given in a telephone interview with Applicant's attorney, Ms. Victoria A. Poissant, on 12 December 2007.
- 4. The application has been amended as follows:
  - In claim 11, line 14, immediately after "the implantable", "neural stimulator"
     was deleted, and -- unit -- was inserted.
  - In claim 11, line 25, immediately after "the implantable", "neural stimulator"
     was deleted, and -- unit -- was inserted.
  - In claim 11, line 27, immediately after "the implantable", "neural stimulator"
     was deleted, and -- unit -- was inserted.
  - In claim 16, line 19, immediately after "the implantable", "neural stimulator"
     was deleted, and -- unit -- was inserted.
  - In claim 16, line 26, immediately after "the implantable", "neural stimulator"
     was deleted, and -- unit -- was inserted.

Application/Control Number: 10/763,843 Page 3

Art Unit: 3766

In claim 22, line 14, immediately after "the implantable", "neural stimulator"
 was deleted, and -- unit -- was inserted.

- In claim 22, line 24, immediately after "the implantable", "neural stimulator"
   was deleted, and -- unit -- was inserted.
- In claim 22, line 26, immediately after "the implantable", "neural stimulator"
   was deleted, and -- unit -- was inserted.
- In claim 24, line 19, immediately after "the implantable", "neural stimulator"
   was deleted, and -- unit -- was inserted.
- In claim 24, line 26, immediately after "the implantable", "neural stimulator"
   was deleted, and -- unit -- was inserted.

## Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
  - Palmer (US Patent no. 7,110,822) describes a hand-held remote unit for serving as a remote status device and a control device for a cochlear implant system.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian T. Gedeon whose telephone number is (571) 272 3447. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert E. Pezzuto can be reached on (571) 272 6996. The fax phone

Art Unit: 3766

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Brian T. Gedeon Patent Examiner Art Unit 3766 Robert E. Pezzuto

Supervisory Patent Examiner

Art Unit 3766

**BTG**